

Przegląd

Informacje o produkcie



FMET-02P-13020000065

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 12.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating :V0,IP class:IP20.

Zalety produktu

- ☒ Modular design
- ☒ Multiple connection technologies optional, signal, data,and power transmission can be realized
- ☒ bus connector is optional
- ☒ Various personalized solutions can be achieved according to customer needs

Certyfikacja produktu

Dane techniczne

Rysunek produktu

Model 3D

□

Dimensions

width	12.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

PCB data

Number of PCB holders	1
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

Item properties

IP class	IP20
Connection levels	2(Both sides)
with ventilation openings	Yes
Maximum connection	8 (pitch 5.0mm)

Material data

color	green
Material	PA66
Flammability rating	V0

Environmental data

Ambient temperature (assembly)	-5℃ ~ +105℃
Ambient temperature (operation)	-40℃ ~ +105℃
Ambient temperature (storage / transport)	-40℃ ~ +55℃

Akcesoria

Accessories

PCB Plug	2EDGKF-5.0-02P-14-00A(H)
PCB Socket	2EDGLF-5.0-02P-14-00A(H)

Dane biznesowe

numer zamówienia	13020000065
Jednostka opakowania	32
Minimalna ilość zamówienia	32
Waga produktów (bez opakowania)	42.9

